



ROTAX DIGITAL ZUENDANLAGE  
ROTAX DIGITAL IGNITION UNIT  
ACCENSIONE DIGITALE ROTAX

-----

BILD-NR. ILL. NO. FIG.	TEILE-NR. PART NO. CODICE	B E Z E I C H N U N G D E S C R I P T I O N D E S C R I Z I O N E	STUECK QTY. QTA.
1 - 15 N	293 946	DIGITALZUENDUNG KPL. DIGITAL IGNITION ASSY., ACCENSIONE DIGITALE CPL.,.....	1
1 - 13	293 976	ROTOR MIT STATOR KPL. ROTOR WITH STATOR ASSY., ROTORE CON STATORE CPL.,..... MARKIERT PAIRED TOGETHER ACCOPIATI	1
2	264 230	ISOLIERSCHEIBE / ISOLATING SHIM RONDELLA ISOLANTE.....	1
3	264 220	LEITSTUECK / TRIGGER CUP / COPPA PICK-UP.	1
4	240 565	FLACHKOPFSCHRAUBE M5X12 DIN 85 SLOTTED HEAD SCREW M5X12 VITE TONDA M5X12.....	2
5		. . ..... STATOR, NICHT ALS ERSATZTEIL LIEFERBAR, KOMPLETT-TEIL 293 976 VERWENDEN STATOR, NOT AVAILABLE AS SPARE PART, USE ROTOR WITH STATOR ASSY., 293 976. STATORE, NON DISPONIBILE COME RICAMBIO, UTILIZZARE ROTORE CON STATORE CPL., 293 976.	1
6	227 940	ANLAUFSCHLEIBE 7,1/16/0,5 THRUST WASHER 7,1/16/0,5 RASAMENTO 7,1/16/0,5.....	2
7	227 570	SCHEIBE 7,4 DIN 125 / WASHER 7,4 RONDELLA 7,4.....	2
8	264 082	GEBER MIT STECKER KPL. TRIGGER WITH PLUG ASSY., PICK-UP CON SPINA CPL.,.....	1
9	945 750	FEDERRING DIN 128-A5-FST / LOCK WASHER A5 RONDELLA SPACCATA A5.....	3
10	242 071	SK-MUTTER M5 DIN 934 / HEX. NUT M5 DADO ESAGONALE M5.....	2
11	866 710	KABELBINDER 20 MM / CLAMP 20 MM FASCETTA 20 MM.....	1

BILD-NR. ILL. NO. FIG.	TEILE-NR. PART NO. CODICE	B E Z E I C H N U N G D E S C R I P T I O N D E S C R I Z I O N E	STUECK QTY. QTA.
12	851 110	ROHRSCHELLE 8/M5 / CABLE CLAMP 8/M5 GRAFFA 8/M5.....	1
13	240 975	ZYL.SCHRAUBE M5X28 DIN 84 SLOTTED HEAD SCREW M5X28 VITE TONDA M5X28.....	1
14 - 15 N	265 100	ELEKTRONIKBOX / ELECTRONIC BOX CENTRALINA ELETTRONICA..... STANDARD ROAD RACER FUER ELEKTRONISCH GESTEUERTEN AUSPUFFSCHIEBER STANDARD ROAD RACER FOR ELECTRONICALLY COMMANDED EXHAUST VALVE STANDARD ROAD RACER PER VALVOLA SCARICO A COMANDO ELETTRONICO	1
14 - 15	264 268	ELEKTRONIKBOX / ELECTRONIC BOX CENTRALINA ELETTRONICA..... STANDARD KART, OHNE ABBILDUNG NICHT FUER ELEKTRONISCH GEST. AUSPUFFSCHIEBER STANDARD KART, WITHOUT ILLUSTRATION NOT FOR ELECTRONICALLY COMMANDED EXHAUST VALVE STANDARD KART, SENZA ILLUSTRAZIONE NON PER VALVOLA SCARICO A COMANDO ELETTRONICO	1
15	840 724	ZYL.SCHRAUBE M3X10 DIN 84 SLOTTED HEAD SCREW M3X10 VITE TONDA M3X10..... MESSING BRASS OTTONE	2
16	244 211	SCHEIBE 6,4 DIN 134 / WASHER 6,4 RONDELLA 6,4.....	2
17	945 751	FEDERRING DIN 128-A6-FST / LOCK WASHER A6 RONDELLA SPACCATA A6.....	2
18	241 311	ZYL.SCHRAUBE M6X35 DIN 912 ALLEN SCREW M6X35 / BRUGOLA M6X35..... ANZUGSDREHMOMENT 10 NM TIGHTENING TORQUE 10 NM (90 IN.LB.) COPPIA DI SERRAGGIO 10 NM	2
19	227 935	SCHEIBE B 8,4 DIN 9021 / WASHER 8,4 RONDELLA 8,4.....	1
20	940 481	SK-SCHRAUBE M8X30 DIN 933 HEX. SCREW M8X30 / VITE ESAGONALE M8X30.. ANZUGSDREHMOMENT 22 NM TIGHTENING TORQUE 22 NM (200 IN.LB.) COPPIA DI SERRAGGIO 22 NM	1
21 - 23	866 665	ZUENDTRANSFORMATOR WG / IGNITION COIL BOBINA ACCENSIONE.....	2

BILD-NR. ILL. NO. FIG.	TEILE-NR. PART NO. CODICE	BEZEICHNUNG DESCRIPTION DESCRIZIONE	STUECK QTY. OTA.
32	897 330	LITHIUMSEIFENFETT LITHIUM-BASE GREASE, 250 GR., GRASSO LITHIUM, 250 GR.,..... A RICH 250 GR., ZUR VERHINDERUNG VON KRIECHSTROEMEN TO PREVENT LEAKAGE CURRENT PER EVITARE CURRENT DI DISPERSIONE	N BED AS REQ A RICH